

MATERIAL SAFETY DATA SHEET

SECTION I - NAME AND PRODUCT

MANUFACTURER'S NAME WOOSTER PRODUCTS INC		DATE August 1, 2003 (Supersedes all earlier MSDS)	
ADDRESS (Street, City, State, and Zip Code) 1000 Spruce St, PO Box 6005, Wooster, OH 44691		CONTACT Inder Kapoor	
TRADE NAME WP-70 PART A		Emergency Telephone No. 330-264-2844	
C.A.S Number NONE	Sub Risk	D.O.T. Hazard Class	HMIS Code: 2 1 0 F
I.D.	MFAG:	Proper Shipping Name PLASTIC LIQUID NOS	

SECTION II - COMPOSITION/ INFORMATION ON INGREDIENTS

*** DENOTES 313 TOXIC CHEMICAL

COMPONENT	CAS#	WEIGHT %	EXPOSURE LIMITS	
			ACGIH/TLV	OSHA/PEL
Epoxy/Trade Secret				
NJT SRN - EP902A		30-40		
Fused Aluminum Oxide	1344-28-1	60 - 70	10 mg/M3 5 mg/M3 (Resp. Dust)	10 mg/M3 5 mg/M3 (Resp. Dust)

*** ALL INGREDIENTS IN THIS PRODUCT ARE LISTED IN THE T.S.C.A. INVENTORY.

SECTION III - PHYSICAL DATA

Boiling Point:	Not Available	Vapor Density:	Heavier Than Air	Weight Per Gallon:	20.5 lbs.
Evap. Rate:	Not Available	Appearance:	Liquid		

SECTION IV - FIRE AND EXPLOSION DATA

Auto Ignition Temp.: Not Established	Flash Point:	>200° F.(PMCC)	LEL:	Not Est.	UEL:	Not Est.
Extinguishing Media: Dry Chemical, Foam, Carbon Dioxide, Water Fog						
Special Fire Fighting Procedures: Do not enter confined fire space without full bunker gear (helmet with face shield, bunker coats, gloves and rubber boots), including a positive pressure NIOSH approved self-contained breathing apparatus. Water or foam may cause frothing. Use water to cool fire exposed containers. If a leak or spill has not ignited, use water spray to disperse the vapors and provide protection to people attempting to stop leak. Wear self-contained breathing apparatus and goggles. Use full protective clothing and a positive pressure self-contained breathing apparatus.						

SECTION V - HEALTH, FIRST AID AND MEDICAL DATA

PRIMARY ROUTE(S) OF ENTRY	EFFECTS OF OVEREXPOSURE	FIRST AID AND MEDICAL INFORMATION
Inhalation	Product is a potential respiratory irritant, however, because of its low volatility this product is not likely to be an inhalation hazard. Acute Overexposure: Temporary irritation to mucous membranes of the nose and mouth may result from excessive dust.	Remove person to fresh air. Give oxygen if breathing is difficult. Obtain immediate medical attention.
Eye Contact	Product may be moderately irritating to the eyes.	Remove from exposure. Flush thoroughly with water for at least 15 minutes while lifting upper and lower lids. Get immediate medical attention.
Skin Contact	Product is moderately irritating to the skin. Product may cause skin sensitization. Irritation as noted. Skin sensitization (allergy) may be evidenced by rashes, especially hives. May cause moderate skin injury (reddening and swelling) and sensitization.	Immediately remove contaminated clothing or shoes. Wipe excess from skin and flush with plenty of water for at least 15 minutes. Use soap if available or follow by washing with soap and water. Do not reuse clothing until thoroughly cleaned. Get medical attention. Contaminated leather articles, including shoes, cannot be decontaminated and should be destroyed.
Ingestion	Product is generally considered to have a low order of acute oral toxicity. Expected to be slightly toxic by this route. LD50 (oral, rat) is greater than 9500 mg/kg.	Do not give any liquids (do not induce vomiting). If victim is unconscious or very drowsy, get medical help immediately.
Other	This formula contains hazardous fillers which are not hazardous in a wet or encapsulated state. However, if a formula containing a hazardous filler is reduced to a respirable fraction by grinding or putting into an airborne powder, the powder is considered a hazardous material.	

SECTION VI - TOXICOLOGICAL INFORMATION

Chronic Studies: Recent 2 year Bioassays in mice exposed by the dermal route to the Diglycidyl ether of Bisphenol A have yielded very limited evidence of weak carcinogenicity. The renal tumor evidence "was of no biological significance" and that the resin "is not a systemic carcinogen when applied to the dorsal skin of CFI mice". Basis on this, the International Agency for Research on Cancer (IARC) concluded that DGE BPA was not classifiable as a carcinogen (IARC group 3) based on following: Human and Animal evidence - Inadequate.

DGE BPA have proved to be inactive when tested by in vivo mutagenicity assays. They have shown activity in vitro microbial mutagenicity screening tests and have produced chromosomal aberrations in cultured rat liver cells. The significance of this information to man is unknown.

SECTION VII - CORROSIVITY AND REACTIVITY DATA

Stability: Product is stable under normal conditions of storage and handling. Hazardous polymerization will not occur under normal storage conditions. However, polymerization may occur over 500°F.

Materials to avoid:

Lewis or mineral acids, organic bases, oxidizing agents, curing agents. Considerable heat may be generated.

Decomposition Products:

By heat and fire: Carbon monoxide, carbon dioxide, aldehydes, acids, and other organic substances may be formed.

SECTION VIII - ACCIDENTAL RELEASE MEASURES**SPILL OR LEAK PROCEDURES:**

Remove all sources of ignition and ventilate the area. Dike and contain spilled material and control further spillage if feasible. Cover spill with clay, sand, saw dust, vermiculite, Fuller's earth or other suitable absorbent and dispose of properly.

DISPOSAL CONSIDERATIONS:

Waste must be disposed of in accordance with federal, state and local environmental control regulations. Controlled incineration or bury in legal land fill.

SECTION IX - HANDLING AND STORAGE

Store indoors in a cool dry place away from heat, sparks and flame. Keep containers tightly closed when not in use.

SECTION X - EXPOSURE CONTROL/PERSONAL PROTECTION INFORMATION

EYE PROTECTION: Safety glasses, splash goggles or face shield. Contact lenses should not be worn.

SKIN PROTECTION: Avoid contact with skin and clothing. Use chemical resistant protective gloves.

RESPIRATORY PROTECTION: Avoid breathing vapors which may be produced under some conditions such as heating or applications. Avoid breathing aerosols and mists. Use NIOSH/MSHA approved respiratory protection equipment when airborne exposure is excessive. Observe OSHA regulations for respirator use (29 CFR 1910.134).

VENTILATION: General or local ventilation may prove adequate to keep airborne exposures below exposure limits.

SECTION XI - REGULATORY INFORMATION

TSCA STATUS: All ingredients in this product are listed in the T.S.C.A. inventory.

CERCLA REPORTABLE QUANTITY: None

SARA TITLE III: Section 302 Extremely Hazardous Substance: None
Section 311/312 Hazardous Categories: None
Section 313 Toxic Chemicals: None

RCRA: If discarded in its purchased form, this product would not be a hazardous waste by listing. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste.

CALIFORNIA PROPOSITION 65: This product contains chemicals known in the State of California to cause cancer, birth defects, or other reproductive harm - epichlorohydrin

Although the information and recommendations set forth here in (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof. Wooster Products Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for

their purposes prior to use. In no event will Wooster Products Inc. be responsible for damages of any nature whatsoever resulting from the use of, or reliance upon information. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to information or the product to which information refers.