

MATERIAL SAFETY DATA SHEET**SECTION I - NAME AND PRODUCT**

MANUFACTURER'S NAME WOOSTER PRODUCTS, Inc.	DATE: July 17, 2006 (New Product)	
ADDRESS (Street, City, State, and Zip Code) 1000 Spruce St., PO Box 6005, Wooster, OH 44691	CONTACT Inder Kapoor	
TRADE NAME: Walk-A-Sured Clear PART A	Emergency Telephone No. 330-264-2844	
PRODUCT CLASS Epoxy Resin Mixture	D.O.T. Hazard Class Not Regulated	HMIS 210
MANUFACTURER'S CODE IDENTIFICATION LC-54A	Proper Shipping Name Plastic Liquid NOS.	

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

INGREDIENTS	CAS #	WEIGHT %	EXPOSURE LIMITS	
			ACGIH/TLV TWA	OSHA/PEL TWA
Diglycidyl ether of Bisphenol A (DGEBA)	25068-38-6	45 - 55	Not established	Not established
Glycidyl Ether	68609-97-2	4-6	Not established	Not established
Nepheline Synite	37244-96-5	40-50	10mg/m3 inhalable fraction 3mg/m3 respirable fraction	5mg/m3 respirable fraction 15mg/m3 total dust

SECTION III - HAZARDS IDENTIFICATION

Primary Route(s) of Entry: Skin X Eyes X Inhalation X Ingestion Accidental

Route(s) of Entry	Effects of Overexposure
Skin	Can cause skin irritation and burns. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: allergic skin reaction (delayed skin rash may be followed by blistering, scaling and other skin effects).
Eyes	Irritation and injury to eyes.
Inhalation	Breathing of vapor or mist is possible. May cause headache, nausea, vomiting, dizziness, narcosis, respiratory failure, low blood pressure, central nervous system depression, coughing, difficult breathing.

SECTION III - HAZARDS IDENTIFICATION (Con't)

Ingestion	Not intended for ingestion. May cause headache, nausea, vomiting, dizziness, gastrointestinal irritation.
Medical conditions generally aggravated by exposure	Skin disorders, respiratory system diseases.
Other	This formula contains hazardous fillers which are not hazardous in a wet or encapsulated state. However, if a formula containing a hazardous filler is reduced to a respirable fraction by grinding or putting into an airborne powder, the powder is considered a hazardous material. This product contains no carcinogens

SECTION IV - FIRST AID MEASURES

Skin contact	Remove contaminated clothing. Flush skin with water. Wash affected area with soap and water. Launder contaminated clothing before reuse. Contaminated leather articles (e.g. shoes) can not be decontaminated and should be destroyed.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes while holding eye lids open.
Inhalation	If inhaled, move to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.
Ingestion	Consult a physician if symptoms persist.

SECTION V - FIRE FIGHTING MEASURES

Flash Point: High 480° F (PMCC) Low >200° F (SFCC)	LEL: Not Established	UEL: Not Established
Extinguishing Media: Dry Chemical, Foam, Carbon Dioxide, Water Fog		
Special Fire Fighting Procedure: Do not enter confined fire space without full bunker. Water spray may be used to cool fire exposed containers.. Toxic fumes may be evolved when this product is burned.		

SECTION VI - ACCIDENTAL RELEASE MEASURES

SPILL OR LEAK PROCEDURES: Remove all sources of ignition and ventilate the area. Dike and contain spilled material and control further spillage if feasible. Cover spill with clay, sand, saw dust, vermiculite, Fuller's earth or other suitable absorbent. Collect material in non-leaking containers and seal tightly for disposal refer to section XIII for disposal information.

SECTION VII - HANDLING AND STORAGE

Store indoors in a cool dry place away from heat, sparks and flame. Keep containers tightly closed when not in use.

SECTION VIII - EXPOSURE CONTROLS / PERSONAL PROTECTION

EYE PROTECTION: Safety glasses, splash goggles or face shield. Contact lenses should not be worn. Always wear eye protection when sanding cured epoxy resin to avoid dust in the eyes.
SKIN PROTECTION: Avoid contact with skin and clothing. Use chemical resistant protective gloves.

SECTION VIII - EXPOSURE CONTROLS / PERSONAL PROTECTION (Con't)

RESPIRATORY PROTECTION: Normally none is required when adequate ventilation is provided. Avoid breathing vapors which may be produced under some conditions such as heating or applications. Use NIOSH approved respiratory protection equipment when airborne exposure is excessive. Observe OSHA regulations for respirator use (29 CFR 1910.134).

VENTILATION: General or local ventilation may prove adequate to keep airborne exposures below exposure limits.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Boiling Range: Not Available (NA)	Vapor Density: Heavier than air	Evap. Rate: NA
Percent Volatile by Volume: 0.0	Weight Per Gallon: 12.9 lbs.	Appearance: Viscous liquid
Solubility in water: Negligible	Specific Gravity: 1.55	Odor: Little or no odor

SECTION X - STABILITY AND REACTIVITY

Stability: Product is stable under normal conditions of storage and handling.

Hazardous polymerization will not occur under normal storage conditions.

Materials to avoid:

Lewis or mineral acids, organic bases, oxidizing agents, curing agents. Considerable heat may be generated.

Decomposition Products:

By heat and fire: Carbon monoxide, carbon dioxide, aldehydes, acids, and other organic substances may be formed.

SECTION XI - TOXICOLOGICAL INFORMATION

Chronic Studies: Recent 2 year Bioassays in mice exposed by the dermal route to the Diglycidyl ether of Bisphenol A have yielded very limited evidence of weak carcinogenicity. The renal tumor evidence "was of no biological significance" and that the resin "is not a systemic carcinogen when applied to the dorsal skin of CFI mice". Based on this, the International Agency for Research on Cancer (IARC) concluded that DGEBA was not classifiable as a carcinogen (IARC group 3) based on following: Human and Animal evidence - Inadequate.

DGEBA have proved to be inactive when tested by in vivo mutagenicity assays. They have shown activity in vitro microbial mutagenicity screening tests and have produced chromosomal aberrations in cultured rat liver cells. The significance of this information to man is unknown.

SECTION XII - ECOLOGICAL INFORMATION

Data not available

SECTION XIII - DISPOSAL CONSIDERATIONS

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

SECTION XIV - REGULATORY INFORMATION

TSCA STATUS: All ingredients in this product are listed in the T.S.C.A. Or exempt from notification requirements.

CERCLA REPORTABLE QUANTITY: None

SECTION XIV - REGULATORY INFORMATION (Con't)

SARA TITLE III: Section 302 Extremely Hazardous Substance: None
Section 311/312 Hazardous Categories: Classified as Hazardous based on components (Acute)
Section 313 Toxic Chemicals: None

RCRA: If discarded in its purchased form, this product would not be a hazardous waste by listing. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste.

CALIFORNIA PROPOSITION 65: None are listed

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof. Wooster Products Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will Wooster Products Inc. be responsible for damages of any nature whatsoever resulting from the use of, or reliance upon information. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose of any other nature are made hereunder with respect to information or the product to which information refers.