

MATERIAL SAFETY DATA SHEET**SECTION I - NAME AND PRODUCT**

MANUFACTURER'S NAME WOOSTER PRODUCTS, Inc.	DATE: July 17, 2006 revision A: April 14, 2008	
ADDRESS (Street, City, State, and Zip Code) 1000 Spruce St., PO Box 6005, Wooster, OH 44691	CONTACT Inder Kapoor	
TRADE NAME: Walk-A- Sured Roll on (All colors) PART A	Emergency Telephone No. 330-264-2844	
PRODUCT CLASS Epoxy Resin Mixture	D.O.T. Hazard Class Not Regulated	HMIS 210F
MANUFACTURER'S CODE IDENTIFICATION LE-294A	Proper Shipping Name Plastic Liquid NOS.	

SECTION II - HAZARDOUS INGREDIENTS/ IDENTITY INFORMATION

INGREDIENTS	CAS #	WEIGHT %	EXPOSURE LIMITS	
			ACGIH/TLV TWA	OSHA/PEL TWA
Diglycidyl ether of Bisphenol A (DGEBA)	25068-38-6	40-45	Not established	Not established
Glycidyl Ether	68609-97-2	5 - 7	Not established	Not established
Nepheline Synite	37244-96-5	40-55	10mg/m3 inhalable fraction 3mg/m3 respirable fraction	5mg/m3 respirable fraction 15mg/m3 total dust
Titanium Oxide	13463-67-7	2 - 4	10 mg/m3	15mg/m3 total dust
Carbon Black	1333-86-4	<1	3.5mg/m3 total dust as carbon black	3.5mg/m3 total dust as carbon black

SECTION III - HAZARDS IDENTIFICATION

Route(s) of Entry	Effects of Overexposure
Inhalation	May cause headache, nausea, vomiting, dizziness, narcosis, respiratory failure, low blood pressure, central nervous system depression, coughing, difficult breathing.
Eyes	Irritation and injury to eyes.
Skin	Can cause skin irritation and burns. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: allergic skin reaction (delayed skin rash may be followed by blistering, scaling and other skin effects).

SECTION III - HAZARDS IDENTIFICATION (Con't)

Ingestion	Not intended for ingestion. May cause headache, nausea, vomiting, dizziness, gastrointestinal irritation.
Medical conditions generally aggravated by exposure	Skin disorders, respiratory system diseases.
Other	This formula contains hazardous fillers which are not hazardous in a wet or encapsulated state. However, if a formula containing a hazardous filler is reduced to a respirable fraction by grinding or putting into an airborne powder, the powder is considered a <i>hazardous material</i> . This product contains Carbon black, which is possibly carcinogenic to humans.

SECTION IV - FIRST AID MEASURES

Inhalation	If inhaled, move to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes while holding eye lids open.
Skin contact	Remove contaminated clothing. Flush skin with water. Wash affected area with soap and water. Remove contaminated clothing. Launder contaminated clothing before reuse. Contaminated leather articles (e.g. shoes) can not be decontaminated and should be destroyed.
Ingestion	Consult a physician if symptoms persist.

SECTION V - FIRE FIGHTING MEASURES

Flash Point: High 480° F (PMCC) Low >200° F (SFCC)	LEL: Not Established	UEL: Not Established
Extinguishing Media: Dry Chemical, Foam, Carbon Dioxide, Water Fog		
Special Fire Fighting Procedure: Do not enter confined fire space without full bunker. Water spray may be used to cool fire exposed containers.. Toxic fumes may be evolved when this product is burned.		

SECTION VI - ACCIDENTAL RELEASE MEASURES

SPILL OR LEAK PROCEDURES: Remove all sources of ignition and ventilate the area. Dike and contain spilled material and control further spillage if feasible. Cover spill with clay, sand, saw dust, vermiculite, Fuller's earth or other suitable absorbent. Collect material in non-leaking containers and seal tightly for disposal refer to section XIII for disposal information.

SECTION VII - HANDLING AND STORAGE

Store indoors in a cool dry place away from heat, sparks and flame. Keep containers tightly closed when not in use.

SECTION VIII - EXPOSURE CONTROLS / PERSONAL PROTECTION

EYE PROTECTION: Safety glasses, splash goggles or face shield. Contact lenses should not be worn. Always wear eye protection when sanding cured epoxy resin to avoid dust in the eyes.
SKIN PROTECTION: Avoid contact with skin and clothing. Use chemical resistant protective gloves.

SECTION VIII - EXPOSURE CONTROLS / PERSONAL PROTECTION (Con't)

RESPIRATORY PROTECTION: Normally none is required when adequate ventilation is provided. Avoid breathing vapors which may be produced under some conditions such as heating or applications. Use NIOSH approved respiratory protection equipment when airborne exposure is excessive. Observe OSHA regulations for respirator use (29 CFR 1910.134).

VENTILATION: General or local ventilation may prove adequate to keep airborne exposures below exposure limits.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Boiling Range: Not Available (NA)	Vapor Density: Heavier than air	Evap. Rate: NA
Percent Volatile by Volume: 0.0	Specific gravity: 1.6	Appearance: Viscous liquid
Solubility in water: Negligible	Weight Per Gallon: 13.45 lbs.	Odor: Little or no odor

SECTION X - STABILITY AND REACTIVITY

Stability: Product is stable under normal conditions of storage and handling.

Hazardous Polymerization will not occur under normal storage conditions.

Materials to avoid:

Lewis or mineral acids, organic bases, oxidizing agents, curing agents. Considerable heat may be generated.

Decomposition Products:

By heat and fire: Carbon monoxide, carbon dioxide, aldehydes, acids, and other organic substances may be formed.

SECTION XI - TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

This product contains the following components which in their pure form have the following toxicity data:

CAS #	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50 Dermal LD50	>15,440 mg/kg >3gm/kg	Rat Rabbit

Carcinogenicity:

CAS #	Chemical Name	OSHA	IARC	NTP
1333-86-4	Carbon Black	No	2B	No

IARC Carcinogen Classification:

1 = The component is carcinogenic to humans.

2 = The component is probably carcinogenic to humans.

2B = The component is possibly carcinogenic to humans.

SECTION XI - TOXICOLOGICAL INFORMATION (Con't)

Chronic Studies: Recent 2 year Bioassays in mice exposed by the dermal route to the Diglycidyl ether of Bisphenol A have yielded very limited evidence of weak carcinogenicity. The renal tumor evidence "was of no biological significance" and that the resin "is not a systemic carcinogen when applied to the dorsal skin of CFI mice". Basis on this, the International Agency for Research on Cancer (IARC) concluded that DGEBPA was not classifiable as a carcinogen (IARC group 3) based on following: Human and Animal evidence - Inadequate.

DGEBPA have proved to be inactive when tested by in vivo mutagenicity assays. They have shown activity in vitro microbial mutagenicity screening tests and have produced chromosomal aberrations in cultured rat liver cells. The significance of this information to man is unknown.

SECTION XII - ECOLOGICAL INFORMATION

Data not available

SECTION XIII - DISPOSAL CONSIDERATIONS

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

SECTION XIV - REGULATORY INFORMATION

TSCA STATUS: All ingredients in this product are listed in the T.S.C.A. inventory or exempt from notification requirements.

CERCLA REPORTABLE QUANTITY: None

SARA TITLE III: Section 302 Extremely Hazardous Substance: None
 Section 311/312 Hazardous Categories: Classified as hazardous based on components (Acute, Chronic).
 Section 313 Toxic Chemicals: None

RCRA: If discarded in its purchased form, this product would not be a hazardous waste by listing. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste.

CALIFORNIA PROPOSITION 65: This product contains chemicals known in the State of California to cause cancer, birth defects, or other reproductive harm - epichlorohydrin

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof. Wooster Products Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will Wooster Products Inc. be responsible for damages of any nature whatsoever resulting from the use of, or reliance upon information. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose of any other nature are made hereunder with respect to information or the product to which information refers.